

## Webinar of 2024-06-04

## Webinar for Standard Drafters: Enquiries and Formal Vote

| 1 | Was the slide for hEN correct (12 w FV)?   | No, there was a typo that will be corrected when circulating the slides. The FV ballot is always 8 weeks.  |
|---|--|--|
| 2 | What are the correct files for editing after<br>Enquiry and Formal vote? 51_stf_doc and<br>64_stf_doc?           | Yes, to draft your Formal Vote text, you will use<br>the 41_e_stf (which is the final text that went to<br>Enquiry).<br>After the Formal Vote, we will use the 51_e_stf<br>for the publication (we implement the last<br>changes).   |
| 3 | Why are the Annexes for harmonization<br>named differently for CEN (ZA) and<br>CENELEC (ZZ)?                     | Because in CENELEC, the Annex ZA is used in<br>parallel publications (texts that we "adopt" from<br>the IEC) to show the corresponding European<br>Standards to the ones that are in Clause 2 of the<br>IEC standard.  |
| 4 | Why do CEN Documents do not require an<br>Annex to give the corresponding EN<br>reference for the ISO standards? | If we understand the question correctly, the ISO<br>and EN ISO texts are identical and therefore, the<br>technical content will be the same. In addition,<br>we have slightly different implementation rules in<br>CEN and CENELEC.  |
| 5 | Does it mean that I can ignore comments<br>from the HAS consultant if they refer ONLY<br>to IR3 and not to MD?   | We are insisting that the focus of HAS should be<br>on the conformity to the legislation aspects.<br>Anyway, it is important to reply to the comments<br>and in some cases, they are connected to the IR 3<br>provisions.  |
| 6 | For revisions, instead to copy all the standard in the simple template, what can we do?                          | You can try and apply the styles that are in the simple template in the previous edition of the document.  |
| 7 | When you say figures need to be linked.<br>What are they linked to?  | When you insert a picture, when clicking on<br>"Insert", you can open the drop-down list and<br>choose "Insert and link". This will link the figure<br>to its place in the document. You can check the<br>links by clicking on "File" at the top left of the<br>screen and "Edit links to files" on the right. |



| 8  | When you say figures need to be linked.<br>What are they linked to?  | You can find the guidance material in the<br>following link https://boss.cen.eu/reference-<br>material/guidancedoc/pages/prepfiles/, in<br>particular in 4.4 Linking figure files in Word  |
|----|--|--|
| 9  | Is it mandatory to use Math Type or is it ok<br>to use Microsoft Equation for formulae?  | Not mandatory but very much wanted! (If not in<br>MathType, we have to convert and to format to<br>MathType, but sometimes the appearance is not<br>identical and interruptions could occur. Currently<br>MathType is needed for the XML export.)  |
| 10 | Can a change of a term definition be editorial or just technical?  | Changes before publication are really a case-by-<br>case question, but most of the time changes to a<br>definition will be considered technical because<br>definitions are a normative element of the<br>Standard.   |
| 11 | If we want to use the Online Collaborative<br>Authoring platform, is it the sufficient to<br>mention it in NWI form?   | Yes, you can refer to it in the NWI and or<br>alternatively through the guidance on<br><u>https://experts.cen.eu/key-initiatives/online-</u><br><u>standards-development/</u>  |
| 12 | In the current draft of series EN 15273<br>WG32's experts asked to increase the size<br>of the formulas, but in doing so the<br>formatting of the text is completely altered.<br>We managed to change the size by putting<br>each formula individually in a table of one<br>row by one column, but are we allowed to<br>do so? | No, unfortunately, the editors will remove these<br>tables for XML purposes. (It happens regularly<br>that formulae not drafted in MathType extend<br>with their geometrical extensions when<br>converted to MathType. Moreover, too complex<br>and too big MathType formulae could object final<br>XML export.) |
| 13 | What is an "A-deviation"?  | More information can be found on the BOSS<br>website: <u>https://boss.cen.eu/reference-</u><br><u>material/guidancedoc/pages/a-deviations/</u>   |
| 14 | What is a SNC?   | A Special National Condition. Only for CENELEC.<br>Mostly climatic, historical issues due to<br>installations in buildings etc.<br>In Annex E of Internal Regulations refers to this<br>concept. It actually can apply in CEN (but is<br>historically, less relevant).   |